



中国认可  
检测  
TESTING  
CNAS L0599

## 检测报告

ASH19-010809-04

发布日期: 2019年03月28日

客户名称: 福建新大陆自动识别技术有限公司  
客户地址: 福建省福州市马尾区儒江西路1号(新大陆科技园)

样品名称: NFT10外壳 (TPU)  
样品批号: 20190228  
生产日期: 20190228  
生产商: /  
样品其他信息: 型号/规格:NFT10 TPU

以上样品及信息由客户提供及确认, SGS不承担证实客户提供信息的准确性、适当性和(或)完整性责任。

SGS相关号: XMAFN190300172-2  
样品接收日期: 2019年03月12日  
检测周期: 2019年03月12日 - 2019年03月28日  
检测要求: 根据客户要求检测  
检测方法: 请参见下一页  
检测结果: 请参见下一页

除非另有说明, 本检测结果仅与被检测物品有关。未经检验机构书面同意, 委托人不得擅自使用检测结果进行不当宣传。



ASH19-010809-04  
扫码辨真伪

SGS授权签字人

通标标准技术服务(上海)有限公司

第1页,共3页



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.  
Testing Center Agency and PE Lab Laboratory

3<sup>rd</sup> Building, No.889, Yishan Road, Shanghai, China 200233

t 400-691-0488

f (86-21) 6140 2547

[www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

中国·上海·宜山路889号3号楼

邮编:200233

t 400-691-0488

f (86-21) 6140 2547

[sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 检测报告

ASH19-010809-04

发布日期: 2019年03月28日

### 检测样品描述:

样品编号	SGS样品ID	描述
1	ASH19-010809.002	12片

检测结果:

检测要求: 抗菌效果实验

检测方法: GB/T 31402-2015/ISO 22196:2007(IDT) 塑料-塑料表面抗菌性能试验方法

### ASH19-010809-04.002

检测菌种	大肠杆菌 ATCC8739	金黄色葡萄球菌 ATCC 6538P
接种菌液浓度 (CFU/mL)	3.8x10 <sup>5</sup>	6.4x10 <sup>5</sup>

接种菌液量 (mL)	0.4	0.4
------------	-----	-----

未经抗菌处理试样-"0小时"接触时间洗脱后获得的细菌数对数值 (CFU/cm <sup>2</sup> )	3.96	4.19
---	------	------

未经抗菌处理试样-"24小时"接触时间洗脱后获得的细菌对数值 (CFU/cm <sup>2</sup> )	4.95	4.59
---	------	------

经抗菌处理试样-"24小时"接触时间洗脱后获得的细菌对数值 (CFU/cm <sup>2</sup> )	-0.21	3.90
--	-------	------

通标标准技术服务(上海)有限公司

第2页,共3页



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

## 检测报告

ASH19-010809-04

发布日期: 2019年03月28日


大肠杆菌      金黄色葡萄球菌  
ATCC8739      ATCC 6538P

抗菌活性值                      5.2                      0.7

### 备注:

未经抗菌处理试样为无抗菌性能塑料膜, 由SGS实验室提供。

### 样品照片:



该照片只针对SGS原始报告

\*\*\* 结束 \*\*\*

通标标准技术服务(上海)有限公司

第3页,共3页

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

3<sup>rd</sup> Building, No.889, Yishan Road, Shanghai, China 200233      t 400-691-0488      f (86-21) 6140 2547      [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
中国·上海·宜山路889号3号楼      邮编:200233      t 400-691-0488      f (86-21) 6140 2547      [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

