

# 顶码工业扫描枪

TP800F-SR

高速扫描识别各类一/二维码

WORLD TOP TECHNOLOGY INTERNATIONAL FAMOUS BRAND



(本商品可根据实际应用场景定制，详情请咨询客服)



移动支付



商品扫描



二维扫描



强悍解码



即插即用



防震防摔

# 参数说明

## PARAMETER

### 性能指标

传感器像素	Image (Pixels): 1024 pixels (H) x 1280 pixels (V)
光源	Light Source: (Illumination) Red color LED
视场角	Field of View: 44°(H) X25°(V)
旋转倾斜 偏转旋	Roll / Pitch / Yaw: 360°(Roll), ±65°(Skew), ±65°(Pitch)
打印对比度	Print Contrast: 20% minimum reflective difference
接口支持	I Interfaces Supported: USB
运动容差	I Motion Tolerances: >0.4m/s
条码精度	Minimum Resolution: ≥4mi

### 物理特性

尺寸	Dimensions: 76.9mm x 130.3mm x191.8mm
输入电压	Voltage: 5±5%V
待机电流	Current: 84mA
重量	Weight: 330.5g
开机电流	Starting Current: 132mA
工作电流	Work Current: 316mA

### 解码范围

Code39(5mil): 30mm-230mm	QR(20mil): 0mm-380mm
Code39(13mil): 25mm-450mm	PDF417(7.5mil): 0mm-220mm

### 环境参数

工作温度	Operating Temperature: -20°C to 60°C
存储温度	Storage Temperature: -30°C to 70°C
湿度	Operating Temperature: -20°C to 60°C
抗震性	Shock Specifications: Designed to withstand 2m(5') drops
环境光免疫	Ambient Light Immunity: 0-100,000 Lux.
静电防护	±8kV 间接耦合面, ±15kV 直接空气放电

### 解码能力

一维条码	1-D: Codabar, Code 11, Code 39, Code 93, Code 128/EAN128, EAN.UCC Composite, Interleaved 2 of 5, MSI Code, Planet, Plessey Code, Postnet, RSS, Standard 2 of 5, Telepen, UPC/EAN, etc.
二维条码	2-D: PDF417, QR code, Matrix 2 of 5, MicroPDF417, Australian Post, Canada Post, Japan Post, MaxiCode, Codablock, Aztec, Dutch Post, TLC 39, DataMatrix, etc.

